

LED Foldaway Board

Mobile, foldable LED board for ultimate flexibility. With APL, perfect for tradeshows and events.



SPECIFICATIONS					
SKU:	CBLBF11012	CBLBF13815			
LED Size	110"	138"			
DISPLAY					
LED Type	SMD	SMD			
Application	Indoor	Indoor			
Pixel Pitch (mm)	1.2	1.5			
Resolution	1920 x 1080	1920 x1080			
Orientation	Landscape	Landscape			
Display area (W x H)	2440×1372mm	3050×1715mm			
Viewing Angle (H)/(V) (°)	170 / 170	170 x 170			
Suggested Viewing Distance	>2m	>2m			
Brightness (cd/m2)	550	550			
Auto Brightness	Yes	Yes			
Contrast Ratio	6500:1	6500:1			
Refresh Rate (Hz)	3840	3840			
Grayscale (bit)	14 bit	14 bit			
Life of Screen (Hrs)	100,000	100,000			
Cabinet Arrangement	4x4	5x5			
Module Size (W x H)	152.5×343mm	152.5×343mm			
Cabinet Size (W x H)	610×343×31mm	610×343×31mm			
Ratio	16:9	16:9			
Maintenance	Front and Rear Maintenance	Front and Rear Maintenance			
Installation Method	Stand mounting	Stand mounting			



LED **Foldaway Board**

Mobile, foldable LED board for ultimate flexibility. With APL, perfect for tradeshows and events.



SPECIFICATIONS					
SKU:	CBLBF11012	CBLBF13815			
LED Size	110"	138"			
COMPUTE AND CONTROL					
Operating System	Android	Android			
CPU	2 x Cortex-A72 + 4 x Cortex-A53, 2.0GHz	2 x Cortex-A72 + 4 x Cortex-A53, 2.0GHz			
RAM	4GB	4GB			
ROM	32GB	32GB			
Architecture	Quad Core	Quad Core			
IP Control	Yes	Yes			
Remote Mgt	Yes	Yes			
Wireless Screen Sharing	Yes	Yes			
POWER					
Input Voltage	100-240VAC 50/60Hz	100-240VAC 50/60Hz			
Average Consumption (KW)	0.44	0.64			
Maximum Consumption (KW0	1.31	1.87			
Media					
Media Format	MPEG1, MPEG2, MPEG4, H.264, WMV, MKV, TS, FLV, JPG, JPEG, BMP, PNG, and GIF	MPEG1, MPEG2, MPEG4, H.264, WMV, MKV, TS, FLV, JPG, JPEG, BMP, PNG, and GIF			
INPUT AND OUTPUTS					
HDMI In	3 (2 Internal, 1 External)	3 (2 Internal, 1 External)			
HDMI Out	1	1			
USB A 3.0	1	1			
USB A 2.0	1	1			
USB C	1	1			



Operation Humidity (RH)

LED Foldaway Board

Mobile, foldable LED board for ultimate flexibility. With APL, perfect for tradeshows and events.



SPECIFICATIONS					
SKU:	CBLBF11012	CBLBF13815			
LED Size	110"	138"			
STRUCTURE					
Overall Dimension (W x H)	2446 x 1430mm	3064 x 2023mm			
Unfolded Screen Size (W x H x D)	2453 x 2318 x 760mm	3064 x 2533 x 780mm			
Folded Screen Size (W x H x D)	1360 x 1817 x 760mm	1970 x 2023 x 780mm			
Roadcase (W x H x D)	1880 x 1480 x 870mm	2190 x 1910 x 900mm			
Weight	210kg	265kg			
Protective Layer	APL Added	APL Added			
Package Dimensions	1474 x 874 x 1875mm / 330kg	2084 x 894 x 2090mm / 440kg			
Lowered/Extended height	1817mm / 2317mm	2033mm / 2533mm			
ENVIRONMENTAL CONDITIONS					
Operation Temp (°C)	-10 - 40C	-10 - 40C			

WHAT'S IN THE BOX		PRE-INSTALLED APPLICATIONS	
Amount	Accessories	CommBox OS	
1X	Powercord	CERTIFICATIONS	
1X	Floor Stand with wheels	Certifications	RoHS, RCM, CE
	Tioor staria with wheels	COMMBOX EXPERIENCE	
1X Fro	Front Maintenance Tool	Warranty	2 Year Warranty
1X	Spare Parts and Tool Kits	Training	Unlimited FREE virtual trainir
1X	Roadcase	Support	Same business day help desk support
			συρροι τ

10%~80%

10%~80%

^{*}All information and specs contained on this document are correct at time of publication